

RE 18331-01/04.23 Replaces: RE 18331-01/03.22


Flow control, restrictor

Common cavity

Cartridge style in manifold

ST-C-06-C

Dimensions





Technical data

Max flow: up	to 40 l/min	(11 gpm)
Max operating pressure for steel body:	350 bar	(5000 psi)
Max operating pressure for aluminium body:	210 bar	(3000 psi)

To order only manifold see data sheet RE 18325-85




Table "Y"

Quita	Y	PORT	SIZE	Rated Flow I/min		DIMENSIONS mm (Inches)									
Cavity	T	1 - 2		(gpm)	С	D E F G1 G2 H I L O Q						R			
SIZE	09	G 1/4		up to	50 (1.97)	50 30 16 6 22 19 6 13 6.5 (1.97) (1.18) (0.63) (0.24) (0.87) (0.75) (0.24) (0.51) (0.26) 32						51			
08	02	G 3/8		40 (11)	50 (1.97)						(1.26)	(2.00)			
SIZE															
10															
SIZE															
12															
SIZE															
16															
SIZE															
20															

Cartridge style

Ø 38 (1.50)

Hex 24 (0.95)

3/4-16 UNF-2A

39-51 Nm (28.8-37.6 ft-lbs)

SIZE 08

٦	[able	e "K"				к		
	DE	OD	21	01	Х	56	00	ST-C-06-C
	CARTRIDGE CODE							
	DGE							
	RTRI							
	CA							

Table "X"


Х	ADJUSTMEN	TS
03	Leakproof hex. socket screw	
04	Handknob and locknut	

mm (inches)


CARTRIDGE TECHNICAL DATA

Common cavity: **CA-08A-2N** For other details see data sheet RE 18321-26

Performance graph



Ordering code



Preferred types (readily available)

pe	Material number
ON0156030200S0	R934001279
-	

Further types available by request

Bosch Rexroth Oil Control S.p.A. Via Leonardo da Vinci 5 P.O. Box no. 5 41015 Nonantola – Modena, Italy Tel. +39 059 887 611 Fax +39 059 547 848 integrated-circuits@oilcontrol.com www.boschrexroth.com © This document, as well as the data, specifications and other information set forth in it, are the exclusive property of Bosch Rexroth Oil Control S.p.a.. It may not be reproduced or given to third parties without its consent.

The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.

Subject to change.